

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6470	345/173-179.ccls. 178/18.01-18.03, 18.05-18.07,19.01,20.01.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:34
L2	6470	345/173-179.ccls. 178/18.01-18.03, 18.05-18.07,19.01,20.01.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:34
L3	12600	(touch\$3 digitiz\$3) and coordinate and X and Y and (wires electrode conductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 15:23
L4	775611	(convert\$3 invert\$3) near2 (signal port output\$4 input\$4 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 15:24
L5	1101	L2 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:34
L6	518	L4 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:49
L7	512	6 and (multiplex\$3 convert\$3 manipulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 15:24
L8	6	((("5783951") or ("4088842") or ("4875553")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 15:10

EAST Search History

L9	9	((touch\$3 digitiz\$3) and coordinate and X and Y and (wires electrode conductor)).clm.	US-PGPUB	OR	ON	2006/08/27 15:23
L10	114325	(multiplex\$3 convert\$3 manipul\$3).clm.	US-PGPUB	OR	ON	2006/08/27 15:24
L11	29221	((convert\$3 invert\$3) near2 (signal port output\$4 input\$4 pin)).clm.	US-PGPUB	OR	ON	2006/08/27 15:25
L12	1	9 and 10 and 11	US-PGPUB	OR	ON	2006/08/27 15:26
L13	3	9 and 10	US-PGPUB	OR	ON	2006/08/27 15:27
L14	437	(Chiang-Wu\$ Chang-Ching\$ Lee-Pei\$ Kuo-Chen\$).in.	US-PGPUB	OR	ON	2006/08/27 15:29
L15	1	9 and 14	US-PGPUB	OR	ON	2006/08/27 15:29
S1	39462	coordinate and (detect\$3 measur\$3) and (touch\$3 digitiz\$3) and (scan\$4 wires electrode conduct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:08
S2	2781118	(pen stylus finger mark\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:13
S3	28515	S1 and (controller processor CPU) and (port pin input\$4 output\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:18
S4	81912	(port pin) near3 (convert\$3 chang\$3 adjust\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:22
S5	592	S1 and S2 and S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:23
S6	493	poll\$3 same scan\$4 same (sequenc\$5 progress\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:32

EAST Search History

S7	6470	345/173-179.ccls. 178/18.01-18.03, 18.05-18.07,19.01,20.01.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:34
S8	0	S5 and S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:34
S9	0	S1 and S4 and S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:34
S10	58	S1 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:36
S11	12600	(touch\$3 digitiz\$3) and coordinate and X and Y and (wires electrode conductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 17:12
S12	775563	(convert\$3 invert\$3) near2 (signal port output\$4 input\$4 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:42
S13	1101	S7 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:42
S14	518	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 14:34

EAST Search History

S15	2480	((coordinate position) same (touch\$3 touchpad touch-pad digitiz\$3) same (poll\$3 scan\$4 measur\$3 sens\$3 detect\$3) same (largest maximum))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 17:12
S16	2593	((coordinate position) same (touch\$3 touchpad touch-pad digitiz\$3) same (poll\$3 scan\$4 measur\$3 sens\$3 detect\$3) same (largest smallest maximum))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:51
S17	47006	((coordinate position) and (touch\$3 touchpad touch-pad digitiz\$3) and (poll\$3 scan\$4 measur\$3 sens\$3 detect\$3) and (largest smallest maximum) and X and Y)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:52
S18	1035	S7 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:53
S19	807	S18 and (sequenc\$3 progress\$6 continuous\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:54
S20	771	S2 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:54
S21	435	S3 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 16:55
S22	10	((("6750852") or ("6610936") or ("5880411") or ("5543591") or ("5914465") or ("5374787"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 16:56
S23	9	((touch\$3 digitiz\$3) and coordinate and X and Y and (wires electrode conductor)).clm.	US-PGPUB	OR	ON	2006/08/25 17:12

EAST Search History

S24	67	((coordinate position) same (touch\$3 touchpad touch-pad digitiz\$3) same (poll\$3 multiplex\$3 switch\$3 scan\$4 measur\$3 sens\$3 detect\$3) same (largest maximum)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 17:13
S25	1	S23 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 17:13